

# INDEX

---

*Note:* illustrations and captions are indicated by *italic page numbers*, footnotes by suffix 'n'.

- absorption operator, DUCE's use of 94, 97, 176
- abstraction
  - qualitative modelling at various levels of 259-79
  - with respect to a constant 85
- ACLS algorithm 197, 206
- active learning, data acquired by 170
- actor-oriented coordinate frame
  - advantages of 237
  - decision tree for 232, 233
  - object-pushing experiment 232
- Ajdukiewicz's solution to name relation paradox 85-7, 88
- algebraic semantics 49
  - definitions for 50-2
  - notation for 50-2
  - results using 52-3
- algorithms, structure-moving task 209-17
- ALG(SIG, E) 50
- AL/X expert system shell 188
- antinomy, meaning of term, 80n
- anti-unification 97
- AQ families of inductive algorithms 93, 106, 169, 298
- archaeological objects, classification of 165
- argument-based model (for plausible reasoning) 60-3
  - advantages of 75
  - compared with probabilistic model 61
  - implementation examples 68-74
- arguments
  - coherence of 62-3
  - handling of 61-2
  - meaning of term 61
- Assistant 86 learning system 221, 230
  - knowledge extracted from data by 232, 234
- assumption-based truth maintenance system 178
  - use in incremental learning systems 178-9
- attributes
  - effect of typing on 164
  - types used in CHARADE 162
- augmented truth maintenance systems 14
- Autolander problem, C4 compared with Evidencer algorithms 197, 198
- axiomatic semantics of specifications 21-3
- axiomatic set theory 319
- backtracking 173
  - diagnosis using 272
  - YAPES's use of 75
- backward diagnosis 260, 268, 271-2
  - cardiac diagnosis using 271-2
  - compared with,
    - hierarchical diagnosis 275
    - naive strategy 275
  - diagnostic efficiency of 275
  - right-to-left goal selection strategy used 268, 271
- backward pruning of plausibility trees 194, 200
- bang-bang control 242
- Bayes
  - naive 189
  - sequential 187-200
- Bayesian inference nets 190
  - Kononenko's treatment 201-2
- Bayesian theory, probabilities defined in 187
- beam search, use of 298-9
- belief states, compatibility with truth values at run-time 195
- belief updating, mechanism in probabilistic calculus 56, 58, 60
- benchmark data-sets, induction of trees from 196-7
- binary logical attributes, domains with, trees induced from 198
- BINEYE program 206, 207, 210, 228, 229
- bird example
  - Closed World Specialization algorithm used 112
  - generalization in 105
  - most-general-correct-specialization used 111
  - over-specialization in 107
- bisection method 276
- blackboard systems 3-4
  - knowledge systems coupled by 7
- block diagrams, knowledge processing 316, 328
- Boolean combinations of events, rules used by PROSPECTOR for 70
- boredom, robot's response to 238
- break-points, decision tree 128
- broadcasting, knowledge systems coupled by 7
- Brookhaven (protein) data base 299, 307

## INDEX

- bubble-sort algorithm
  - generalization of 142
  - sample computation using 140
- C4 rule-induction algorithm 128, 187
  - compared with Evidencer algorithm 197
  - example of output 129
  - software facilities available 135
- calculi
  - certainty 63-74
  - coupling of 6-7
  - ExpertPRIZ 15
  - knowledge representation by means of 4-6
  - meaning of term 5
  - NUT system 13
  - plausible reasoning 55
- calculus of computable functions 4
- CAP (Concept Acquisition Program) 179-83
  - concept description for 181
  - concurrent running of learning tasks 183
  - learning strategy summarized 182
  - liquid pouring example 183
  - partial match used 179, 180, 181
  - 'tantrum' by 183
- cardiac diagnosis 260-1, 265-76
  - rules used 251, 267
- CART rule-induction algorithm 187, 188, 197
- causality, added to pole-balancing problem 246
- certainties
  - calculation of 72-4
  - comparison of 58-9
  - non-numerical system of 71-4
  - PROSPECTOR-like approach to 69-71
- certainty calculus
  - definitions used 63-4
  - formal apparatus for 63-7
  - implementation examples 68-74
  - inference procedure for 65-7
  - model theoretic semantics for 65
  - semantics of 64-7
- certainty lattice, use in example 71-2
- certainty space, definition of 63-4
- characteristic sample set
  - algorithm to generate 100
  - meaning of term 99
  - size of 101
- CHARADE system
  - characteristics of 156
  - description language used 161-5
  - exploration of the description space by 159-61, 165-6
  - functionalities of 156
  - learning bias in 161-6
  - new descriptors added 165
  - regularities detected by 157-9, 165
  - representation formalism for 161
  - rule properties used 159
  - semantics for generalization heuristics 160
- chemical compounds
  - structure estimation of 328
  - see also* proteins
- chemical theory methods, protein structure predicted using 294
- chess positions
  - encoding of 284, 286
  - entropy of space of 285-6
  - patterns stored in memory in relation to 286-7
  - guessing of 287-8
    - experimental results for 288
    - multi-answer questions used 288
    - questions allowed 287
  - information content of 283-8
  - information required to uniquely determine 288
  - pattern recognition of 284
  - psychological assumptions used 283-4
- chess problems
  - CIGOL's performance in 106
  - DUCE algorithm used 94-5
- chess-specific knowledge
  - amount remembered by chess master 288
  - meaning of term 283
  - number of patterns stored in memory as measure of 284-5
  - patterns used 284
- Chinese language, number of ideograms in, 288n
- chunks (of information)
  - meaning of term 284
  - number in short-term memory 284, 286
- CIGOL learning system 106, 113, 176
  - chess problem tackled by 106
- classification rule, induction of 121
- class probability trees
  - meaning of term 188
  - use of sequential Bayes with 187-200
- clause entailment, resolution used for 110, 114
- clause removal, specialization by 107
- Closed World Assumption inference rule 108
- closed world specialization 111-13
- Closed World Specialization Algorithm, implementation in PROLOG 112-13
- clustering algorithm 234, 235
- cluster of objects, description of 182
- cn2 program 298

- coated-steel products, interactive induction used 123-31
- coherence, types of 62-3
- commongrasp procedure 216
- complexity, reduction for pole-balancing problem 246-8
- compound structures, used in KAUS 319, 320
- computational models
  - all variables calculated for 42
  - applications of 44
  - calculating programs called from 40, 42, 43
  - computational rules for 40
  - example ('square') 39, 40-3
  - implementation in PRIZ 39, 44
  - implementation in PROLOG 43-4
  - meaning of term 39-40
  - meaning of term in PRIZ system 8
  - particular variables computed for 42
  - specifications comprising 22-3
  - use of 42-3
  - writing of 40-2
- concepts
  - definition of 170
  - formation in learning systems 170
  - theory as network of 172, 173
- concepts of concepts, formal language for 81, 85
- conceptual entity network 323
- conditionalization, beliefs updated by 56, 58, 60
- CONFUCIUS system 169
- consistency, maintaining in incremental learning systems 170, 177-9
- control rule, pole-balancing problem 253-4
- coordinate frame
  - object-pushing experiment 230-2, 237
  - choice of coordinate system 231-2
- correct-specialization, definition of 109
- credit assessment 128
  - belief-states modified by subsequent information 195
- credit assessment problems, C4 compared with Evidencer algorithms 197, 199
  
- data acquisition, methods used in learning systems 170
- database clauses
  - meaning of term 261
  - qualitative models as hierarchy of 261
- data bases, integration with knowledge bases in KAUS 325-6
- data structure
  - as generalized set 319
  - knowledge representation using 318-19
- data validation task, interactive induction 133, 134
- decidability problem 52-3
- decision trees
  - breakpoints for 128
  - build-up by Quinlan method 157
  - coated-steel products case study 126-8
  - object-pushing experiment, effect of coordinate frame 232, 233
- deductive system, meaning of term 5
- deep knowledge, use of 259, 261
- deep models, compared with surface models 264-5
- denotation and sense, formal language based on 81
- derivation trees, transformation of refutation trees into 114-15
- 'deriv' function 108, 114
  - definition of 114
  - as explanation-based generalization technique 116-18
  - PROLOG implementation of 117-18
  - use of 114-15
- description languages
  - CHARADE's use of 161-5
  - generality elaborated using 155
- description space, exploration by CHARADE 159-61, 165-6
- descriptors, CHARADE's use of 163-4
- details (of model), refinement of 266-7, 277
- 'diagnose' algorithm
  - cardiac arrhythmias detected by 269-70
  - equations solved using 276-9
- diagnostic task 260
  - backward reasoning used 260, 268, 271-2, 275
  - generate-and-test strategy used 260, 275
  - hierarchy of models used 260, 265-8, 273-4, 275
- directed acyclic graph 296
- discernment, frame of 56
- DISCIPLE system 123
- dot operator 114
- dots expressions 140-2
  - folding-up rule for 142
  - generalization rule for 142
  - standardization rule for 142
- dots strings, unfoldment of 141
- dots terms, unfoldment of 141
- DUCE algorithm
  - absorption operator for 94, 97, 176
  - applications of 94-6
  - chess problem solved using 94-5
  - compared with other expert systems 95
  - completeness of operators for 96, 98-101
  - description of 93

## INDEX

- DUCE algorithm (*cont.*)
  - extensions to first-order representation 96, 102
  - first-order version; *see* CIGOL
  - identification operator for 94, 97
  - interactive induction using 131
  - intra-construction operator for 93, 98, 176
  - inversion of resolution in 97-8
  - macro-operators for 101-2
  - neuro-psychology application 95-6, 131, 134-5
  - noisy data dealt with by 95, 102, 134-5
  - operators for 93-4, 175-6
  - search mechanism for 96, 101-2
  - supervised compared with unsupervised mode 95
  - theory behind 96-102
  - validation in 133
- dynamic control, use of PANIC rules for 239
- EARL system 131
  - validation in 133
- electrical circuits, computation of parameters for 44-7
- electrical transformers, diagnosis of breakdown in 131-2
- electrocardiographic (ECG) descriptions
  - diagnosis based on 260-1, 265-76
  - P-wave considered 267
- electronic circuit analysis, KAUS applied to 328
- elicited knowledge, combined with induced knowledge 127
- engineering design, expert systems used in 311, 328
- engineering fault diagnosis, C4 compared with Evidencer algorithms 197, 198
- entropy-minimization principle 197, 199
- entropy of space
  - definition of 285
  - determination of 286
  - experimental determination of 288
  - number of chess positions measured 285-6
- envisioning 260
- equation solving, 'diagnose' algorithm used 276-9
- error recovery strategy 177-8
- errors
  - correcting of 174-6
  - locating of 172-4
  - recognizing of existence 172
- error tolerant learning systems 169-84
- Evidencer algorithm
  - arithmetic in 190
  - classification tree extracted 194-5
  - compared with C4 algorithm 197
  - evidence tree induced 191-2
  - learning in 189
  - tree-structured rules used 187
- evidence trees
  - conversion to/from plausibility trees 192-4
  - induction from benchmark data-sets 196-7
    - results 198-9
  - induction of 190-2
  - set-up of 192-5
- exemplar-based learning algorithms 294
- expected-weight-of-evidence criterion 190, 197, 199
- expenses claims problem, C4 compared with Evidencer algorithms 197, 199
- experimentation
  - learning by 170
  - pitfalls of 171
  - run-out of ingredient 182-3, 184
- ExpertPRIZ system 4, 14
  - calculi of 15
- experts, network of 6
- expert systems
  - supervised compared with unsupervised mode 95
  - use in engineering 311
  - see also* knowledge processing systems
- explanation-based-generalization (EBG) algorithm
  - 'deriv' function as 108, 116-18
  - improvement on 105, 108
- first-order formula, correctness of 108
- first-order logic, sentences formalized in 79, 80
- Fitch form (for natural deductions) 27
- FOR-loops, inductive synthesis 144-5
- forward chaining rules, CAP's concept
  - description as set of 181
- Freddy 3 robotics project
  - goal of 205
  - hardware implementation of 206, 207, 227, 228
  - learning by 230-9
  - software implementation of 206, 207, 227-30
  - structure-moving task for 208-20
- full computation traces, inductive synthesis from 139
- gain ratio adjustment 197, 199-200
- GenBank (protein) data base 307

- generalization  
   construction of rules by 156-7  
   description languages used 155  
   explanation-based 105, 116  
   formal relations used 152  
   formulation of 151-2  
   from general to specific 157  
   from specific to general 156-7  
   least general 97, 98  
   meaning of term 105, 106  
   operators required 175  
   protein structure problem 296-7  
   testing of 179-80  
 generalization tree 296  
 generalized regular expressions  
   examples of 145  
   inductive synthesis 145-6  
   interactive synthesis algorithm  
     constructed for 145-6  
 generate-and-test problem-solving strategy  
   260  
   compared with backward diagnosis 275  
   compared with hierarchical diagnosis  
     271, 275  
   diagnostic efficiency of 275  
 Gentzen-type sequent version of S4, rules  
   of 32  
 global transfer functions 315, 316, 328  
 GPS planner 225-6  
 grammars  
   interactive induction 125-6  
   refinement of 126  
 graphical expressions, inductive synthesis  
   146-7  
 Graph Traverser program 225-6  
 grasping positions, examples of 216  
 greatest common divisor (GCD) algorithm  
   generalization of 142  
   sample computation using 140  
 ground specifications 51  
  
 HACKER program 173  
 heart  
   abstract model of 265  
   detailed model of 267-8  
   more-refined model of 266  
 Hebrand base 64  
 Herbrand Universe 64  
 Heyting-Kolmogorov interpretation 23  
 hierarchical diagnosis 268-71  
   compared with,  
     backward diagnosis 275  
     naive strategy 271, 275  
   'diagnose' algorithm used 269-70  
   diagnostic efficiency of 275  
   example of use 273-4  
  
 hierarchical diagnostic algorithms 269-70  
   bisection method emulated by 276  
   equations solved using 276-9  
 hierarchical type  
   tree representation of 163  
   use by CHARADE 162, 163  
 hierarchy of models 265-8  
 Hilbert's tenth problem 53  
 hill-climbing beam search 298  
 homology-based methods, protein structure  
   predicted using 294  
 Horn clause logic  
   argument-based model in 61-3  
   derivation of new facts in 12  
   extended to handle uncertainty 63  
   negation in 62  
   plausible inference and negation in  
     55-76  
   procedural knowledge united with 7-8  
   propositional 17  
 Horn clause logic programs, debugging of  
   106  
 Horn clause programming 17  
 human memory, capacity of 284  
  
 ID3 algorithm 106, 126, 128, 169  
   inductive learning by 234  
   programs similar to 221, 230, 294  
 identification operator, DUCE's use of 94,  
   97  
 ID families of inductive algorithms 93, 106,  
   126, 128, 169  
 if-then rules, evaluation of 69-70  
 imitation, learning by 172, 179-80  
 incremental learning algorithm, action of  
   105  
 incremental learning systems 169  
   correcting of errors 174-7  
   locating errors in theory 172-4  
   maintaining of consistency in 170, 177-9  
   problems in 171-9  
   recognizing existence of errors 172  
 incremental specialization techniques  
   106-8  
 independent subtasks  
   rules of structural synthesis with 31  
   use in PRIZ 30-5  
 indirect context, concept first introduced  
   80  
 individual concepts and propositions  
   first-order theories of 79-88,  
   McCarthy's theory of 82-5  
 INDUCE algorithm 106, 156  
 induced knowledge, combined with elicited  
   knowledge 127  
 inductive concept learning, shift of bias for  
   153

## INDEX

- inductive formation (of programs and descriptions) 91-149
- inductive learning
  - logical description extracted from noisy data by 221, 222
  - plausibility measures for 76
  - protein structure problem 294, 295
  - robot control using 227, 234
- inductive program synthesis 49
- inductive syntactical synthesis
  - dots expressions used 140-2
  - FOR-expressions in 144-5
  - generalized regular expressions in 145-6
  - graphical expressions used 146-7
  - models of 139-47
  - program optimization using 147
  - WHILE-expressions in 143-4
- inference algorithms, synthesis
  - methodology for design of 51
- inference procedure
  - certainty calculus 65-7
  - implementation examples 68-74
- inheritance, calculus of 9-11
- interactive induction 121-36
  - case studies 123-32
  - coated-steel products case study 123-31
    - process grammars used 125-6
    - processing unit selection in 126-31
  - data validation task in 133, 134
  - grammars used 125-6
  - irrelevant attributes suppressed 128
  - knowledge acquisition in 122, 124, 130
  - knowledge engineering aspects 132-5
  - man-machine interaction in 134
  - neuro-psychology case study 95-131, 134-5
  - problem formulation task in 133, 134
  - rule presentation task in 133-4
  - software facilities for 135
  - transformer diagnosis case study 131-2
  - validation in 132-3, 134
- interpret procedure 215-16
- interrupt-revision 189, 195
- interview-driven knowledge acquisition
  - methods 122
  - disadvantages of 122, 124
- intra-construction operator, DUCE's use of 93, 98, 176
- intuitionistic propositional calculus (IPC) 4, 8
  - depth reduction in 25-6
  - disjunction eliminated in 26
  - negation and disjunction eliminated in 26
  - procedural knowledge united with 8-9, 17, 21
- KARDIO expert system 260-1
  - backward diagnosis used 271-2, 273-4, 275
  - experiments for ECG diagnosis 273
  - hierarchical diagnosis used 268-71, 275
  - naive (generate-and-test) strategy used 275
- KAUS (Knowledge Acquisition and Utilization System) 312, 318-28
  - applications of 326, 328
  - data bases integrated with knowledge bases in 325-6
  - existing programs used by 324-5
  - integration of resources in 323-6
  - Multi-Layer Logic used 321-2
  - object model used 323, 324
  - set-constructors used 319
  - structures allowed in 319
  - user interfaces in 326, 327
- Kedar-Cabelli-McCarty explanation-based-generalization algorithm 108
- Kleene realizability 23
- knowledge
  - modularity of 3-15
  - qualitative representations of 203-79
  - stratification of 14
- knowledge acquisition
  - applications and models of 281-328
  - factors affecting validation method used 132-3, 134
  - inductive learning used 76
  - interactive induction system 122, 124, 130
- knowledge-base bootstrapping 125, 136
  - user interface for 126
- knowledge bases, integration with data bases in KAUS 325-6
- knowledge processing, mechanics of 1-89
- knowledge processing systems
  - design of 311-28
  - enhancement of problem-solving capability 314-17
  - formalization of problem-solving process 312-14
  - KAUS system described 318-28
  - knowledge representation in 317
  - management of 317-18
  - see also* expert systems
- knowledge representation 312, 317
  - formal calculi as means of 4-6
  - in probabilistic calculus 57-9
  - requirements for 317
- knowledge representation language, PRIZ input using 9-10
- knowledge structure, entity relations comprising 323
- Kononenko's Bayesian nets 201-2

- Laplace's Law of Succession 192
- lattice  
 examples of use 70-2  
 meaning of term 62
- learning bias  
 derivation from rule properties 151-66  
 meaning of term 153  
 modification of 153  
 nature of 154-5  
 phenomenological approach to 154  
 role of 153-4
- learning set, regularities looked-for in 157-8
- learning systems  
 error-tolerant 169-84  
 optimality and error in 149-201  
 robot control using 226-7  
 types of 169
- least general generalization, concept of 97
- light pen, use in inductive synthesis 147
- liquid-pouring example  
 CAP used in 179-83  
 errors introduced by over-generalization 171-2
- local transfer functions 315, 316
- logic, procedural knowledge united with 7-9
- logical attributes, domains with, trees induced from 198, 199
- logic-based representation  
 separation from numerical representation 221  
 transformation to numerical representation 221, 222
- logic programming  
 meaning of term 17  
 propositional logic used 17-36
- long-term memory  
 capacity of 284  
 number of patterns stored in, as measure of chess-specific knowledge 284-5  
 relation to entropy of space of chess positions 286-7
- lookinto operator 209, 212-13
- McCarthy's first-order theory of individual concepts 82-5  
 concept objects represented in 82  
 definitions 82-4  
 examples 82-5  
 real-world objects represented in 82
- macro-operators  
 DUCE's use of 101-2  
 effect of 102
- man-machine interaction, interactive induction 134
- Marvin system 169, 176
- MARVIN system, validation in 133
- Mason's Gain Rule 315
- Mathematica system 196
- measurement errors, effect in structure-moving tasks 220
- memory, human, capacity of 284
- meta-interpreter, use in PROLOG 43-4
- metalanguage, PRIZ system 9-10
- meta-level knowledge 318
- metatheories, use of 11-13
- minimax problem, PRIZ's solution of 23-5
- mirror crafting example, learning in 183, 184
- MIS program 173, 174, 175
- mistake matching rules, protein structure problem 306
- MLL (Multi-Layer Logic) 321  
 examples of 321  
 inference of 322-3
- modal logic S4 17, 30-5  
 derivability in 32-4
- model-based interpretation 205-23
- model-building sub-process 313
- MODELER program 107
- model generation  
 learning procedure used 234  
 object-pushing experiment 232-6
- model refinement, incremental process of 313, 314
- modularity of knowledge 3-15
- most-general-correct-specialization (MGCS)  
 definition of 109  
 resolution-based method for construction of 110-11
- most-general-unifier (MGU) 115
- motivation, robot experiment 238
- multiple evidence, combined by PROSPECTOR 70
- multi-valued logical attributes, domains with, trees induced from 198
- MYCIN expert system 55
- naive Bayes 189
- naive Bayes classifier 201
- naive strategy; *see* generate-and-test problem-solving strategy
- name relation paradox 80  
 Ajdukiewicz's solution to 85-7, 88  
 Church's formalization of solution to 85, 86  
 Frege's solution 80-1  
 McCarthy's solution 82-5
- negation, semantics for 62
- negation by failure 108, 111
- neural net learning 188

## INDEX

- neural networks, protein structure predicted using 294
- neuro-psychology application, DUCE algorithm used 95-6, 131, 134-5
- NEWGEM, rule evaluation function in 298
- noise
  - errors caused by 177, 178
  - multivariate domains with, tree induced from 199
- Noiseless Coding Theorem 286
- noisy data
  - DUCE algorithm adapted to deal with 95, 102
  - extraction of logical description from 221, 222
- NONLIN planner 225-6
- non-monotonic formalisms 108
  - over-specialization avoided by 111-13
- non-monotonic learning 105-18
- NTC (New Term Constructor) program 294
- numerical representation
  - separation from logic-based representation 221
  - transformation to logic-based representation 221, 222
- numeric attributes, domains with, trees induced from 198-9
- NUT system 4, 12
  - calculi of 13
  
- object models, KAUS's use of 323, 324
- object-oriented coordinate frame 232
  - decision tree for 232, 233
- object-oriented programming, knowledge systems coupled by 6
- object-pushing experiment
  - coordinate frames used 230-2, 237
  - generation of model in 232-6
  - method used 228-30
- Occam's Razor 232
- oracle, expert acting as 130, 133, 135
- ordered type, use by CHARADE 162-3
- outliers, flagging in induction system 134
- over-generalization, errors induced by 171-2
  
- PANIC (Perception and Action as Nalve Causality) model 235
  - dynamic control using 239
  - graphical representation of 236
  - knowledge hierarchy levels of 237
- partial match, learning situation 179, 180, 181
- partial theory, benefits of constructing 170
  
- partitionable, meaning of term 192
- partitionworthy, meaning of term 192
- passive observation, data acquired by 170
- pattern matching
  - chess positions 284
  - protein structure problem 306
- 'person', knowledge representation for 11-12
- pickup operator 209, 211, 212
- PIR (protein) data base 307
- place operator 209, 212
- planners, robot control by 225-6
- plausibility-based systems, weights of evidence in 188
- plausibility coefficients 158
- plausibility-gain trees; *see* evidence trees
- plausibility trees
  - backward pruning of 194, 200
  - conversion to/from evidence trees 192-4
- plausible reasoning
  - alternative approaches 56-7, 60-3
  - argument-based model of 60-3
  - calculi used 55
  - complexity issues 59-63
  - implementation examples 68-74
  - knowledge representation issues 57-9
  - probabilistic model of 55-6
  - related approaches 63
- PLS1 program 294
- pointer stack 10
- pole-balancing problem
  - choice of means of control 248-50
  - complexity reduced 246-8
  - credit assignment algorithm used 226
  - described 241-3
  - qualitative model used 248-9, 251-2, 253-4, 257
  - system parameters chosen 254-7, 258
  - qualitative way of solving 241-58
  - verification of solution 245-6
- pole-cart system
  - angles of posts controlled 249-50
  - approximations used 247-8
  - cart controlled whilst balancing poles 250-1
  - choosing means of control 248-50
  - control of 251-4
    - cart while balancing poles 250-1
    - chain of integrators 252, 253
    - effect of delay 255, 256
    - one integrator 252, 253
    - total system 251-4
  - control rule for 253-4
  - described 242
  - division of quantity space for 253
  - dominant path of control for 250, 256, 257

- drift behaviour modelled 251, 252
- effects of,
  - changing length or mass of poles 258
  - control parameters on system properties 256-7
- forces acting on 244
- hypothesis about operating region for 247
- measurements required 242
- modelling of 243-5
- oscillation in 255-6
- positive feedback loops in 249
- qualitative model of controlled integrator 255-6
- relevant properties of 243
- semi-qualitative model of 248-9, 251-2
- system parameters chosen 254-7
  - trial-and-error method used 255
- Pop-2 memo function 196
- predicate logic
  - knowledge representation using 318-19
  - set concept of 320-2
- pressure regulator model
  - qualitative state of 263
  - rules for 265
  - single-level representation of 260, 262-5
  - structure of 262
- prior knowledge, use in induction systems 124, 134, 135
- priors, problems with 57
- PRIZ system
  - applications of 44
  - architecture of 18-19
  - compared with PROLOG 18
  - direct specifier for 9
  - example problem solved by 21, 36
  - independent subtasks used 30-5
  - inheritance specifier for 10
  - input language used 19-21
  - knowledge base in 19
  - knowledge representation in 8, 9
  - logic united with procedural knowledge in 8-9
  - metalanguage used 9-10
  - preprocessor used 25-6
  - presentation of natural deductions from 26-7
  - program derivation rules for 35-6
  - program synthesis in 17, 18, 19, 23-5
  - structural synthesis rules for 31
  - use of program synthesizer as theorem prover 25-30
- probabilistic calculus, language limitations in 58
- probabilistic model (for plausible reasoning) 55-6
  - alternatives to 56-7, 60-3
  - complexity issues 59-60
  - knowledge representation issues 57-9
  - objections to 60
- problem formulation task, interactive induction 133, 134
- problem-solving capability, enhancement of 314-17
- problem-solving process
  - example of 316
  - formalization of 312-14
- procedural knowledge, logic united with 7-9
- procedural type atoms, use in KAUS 324-5
- PRODIGY general-purpose planner 183-4
- Program Debugging System 106-7
- program optimization, inductive synthesis applied to 147
- program synthesis, PRIZ's use of 17, 18, 19, 23-5
- PROLOG
  - cardiac diagnostic algorithm written in 269-70
  - Closed World Specialization Algorithm implemented in 112-13
  - compared with PRIZ 18
  - computational models in 39-47
  - debugging of programs 171, 172-3
  - 'deriv' function implemented in 117-18
  - Edinburgh syntax conventions of 214
  - extension of 15, 43
  - interpreters 68
    - SLDC trees found by 67
  - logic united with procedural knowledge in 7-8
  - meta-interpreter used 43-4
  - negation-by-failure used 108, 111
  - robot programming using 206, 227
  - StructureMover program implemented in 213-15
- PROMIS (protein machine induction system) program 291, 292
  - alpha-helix prediction rule 301-3
  - chemical knowledge coded into 301
  - experimental results 299-307
    - data used 299
    - general rules for predicting secondary structure 299-303
    - threshold logic used 305-7
    - variation of successful rules 303-5
  - input to 295
  - learning by 296
  - operators used 297
  - output of 295
  - rule evaluation by 297-8
  - search control in 298-9
  - threshold test used 298
- prompting, interactive induction 127

## INDEX

- propositional Horn clause logic \17
  - program using, characteristic sample set generated for 99, 100
  - see also* PRIZ
- propositional logic programming 17-36
- propositional variables, PRIZ's use of 10, 21-2
- proposition surrogates
  - concept first introduced 85, 88
  - example of use 86-7
  - first member of 86, 87
- PROSPECTOR expert system 55, 59
  - Bayesian inference used in 187-8
  - Boolean combinations of events treated by 70
  - combination of multiple evidence treated in 70
  - if-then rules used 69-70
  - plausible reasoning mechanism used by 69-71
  - probabilistic inference mechanism of 69-71
    - implementation of 70-1
- protein folding
  - learning applied to prediction of 291-308
  - problem to be solved 292-3
- proteins
  - alpha-helix secondary structure prediction 301-3
  - data bases of structure information 293, 307
  - primary structure of 292
  - secondary structure of 292
  - secondary structure prediction 292, 293, 294-308
    - chemical theory methods used 294
    - general rules found 299-303
    - homology-based methods used 294
    - statistical methods used 294
    - threshold logic used 305-7
    - variation of successful rules 303-5
  - types of 292
- protein structure problem
  - alpha-helix prediction rule 301-3
  - mistake matching used 306
  - previous work done 294
  - suitability of problem 293
- proximity scanning technique 209, 210
- proximityscan operator 209, 212
- P-space-complete problems 8, 17, 30
- Puma robots 206, 207, 227, 228
- qualitative models
  - experimental results using 273-6
  - interpretation of 268-72
  - representation as hierarchy of models 265-8
  - representation of 261-8
  - research on machine-aided construction of 279
  - single-level 262-5
- qualitative representations (of knowledge) 203-79
- quantity space, division for pole-balancing problem 253
- Quinlan method, decision trees built-up by 157
- reactive environment
  - learning in 170-84
  - meaning of term 169, 179
- recursive programs, construction in PRIZ 17
- refinement operator 175
- refutation trees, transformation into derivation trees 114-15
- regularities, detection by CHARADE 157-9, 165
- resolution
  - clause entailment using 110, 114
  - unification within theory 97
- resolution closure, definition of 109
- resolution principle, inversion of 93-102
- resolution theorem, Robinson's results on, 109
- Rhino robot 207
- right-to-left goal selection strategy 268, 271
- ROBCON program 206, 207, 227, 229
- ROBEYE program 206, 207, 227, 229
- robotics, definition of 205
- robot learning, CAP used 179-83
- robot programs, two-phase approach to building 227
- robots
  - learning of causality by 225-41
    - coordinate frame 230-2, 237
    - experimental method 227-30
    - model generation 232-6
    - response to change 238
    - structure moving by 208-20
    - user-interaction facility for 221-3
- ROPRO system 226
- rule evaluation, protein structure problem 297-8
- RULEGEN, threshold test in 298
- rule induction, table compression using 198
- QSIM qualitative simulator 241
- qualitative modelling, varying levels of abstraction in 259-79

- RuleMaster inductive learning system 206, 207
- rule presentation task, interactive induction 133-4
- rule properties, learning bias affected by 159-60
- rules
- expert's modification of 129-30, 134
  - flexible interpretation of 306
  - protein structure problem 295
- rule system
- a priori* structure of 160
  - learning with 153, 156-61
- run-time
- compatibilities between belief-states and truth-values encountered at 195
  - learning occurring at 195-6
- Russell's paradox 319
- S4 modal logic 17, 30-5
- derivability in 32-4
- safegrasp procedure 216-17
- sample computations
- direct screen display of 146-7
  - general algorithms restored from 140, 142
  - WHILE-expressions constructed from 144
- scientific discovery, application of machine learning to 291-2
- search control, PROMIS's use of 298-9
- search mechanism, DUCE's use of 101-2
- search operators, background knowledge on proteins used as 296-7
- semantic networks 5-6
- inference on 6
  - time-relations in 5
- 'sem' function, definition of 11, 22-3
- semi-decision trees 190, 196
- conversion from plausibility trees 194
- sense and denotation, formal language based on 81
- sense of name, meaning of term, 80n
- sensory information, robot control using 207, 226
- sequential Bayes, used with class probability trees 187-200
- SEQUOIA, threshold test in 298
- Shapiro-Kopec expert system 94, 95
- Shapiro's debugging algorithm 172-3, 174
- short-term memory, capacity of 284
- signal flow graphs 315, 316, 328
- silhouette identification, C4 compared with Evidencer algorithms 197, 198-9
- single-concept learning systems 169
- skolemization 114, 117
- SLDC tree
- definition of 66
  - index of 66-7
  - PROLOG interpreter to find 67
  - see also* certainty calculus
- software facilities, induction tools 135
- specialization
- closed world 111-13
  - meaning of term 106
  - operators required 175
  - protein structure problem 297
- specification languages; *see also* UTOPIST...
- specifications, axiomatic semantics of 21-3
- 'square' (computational) model 39
- calculating programs called from 43
  - encoding of 41
  - implementation in PROLOG 43-4
  - use of 42-3
  - writing of 40
- statistical methods, protein structure predicted using 294
- stratification of knowledge 14
- STRIPS planner 225-6
- Structural Synthesis Rules (in PRIZ) 23, 35
- with independent subtasks 31
- structured induction technique 188
- StructureMover program 207
- algorithms in 209-17
  - combinatorial complexity problems 215, 219
  - commongrasp procedure 216
  - constraints with respect to structures 219
  - extensions possible 220-1
  - interpret procedure 215-16
  - limitations due to inaccuracy in measurements 220
  - limitations with respect to grippers 220
  - performance and limitations of 217-21
  - PROLOG implementation of 213-15
  - safegrasp procedure 216-17
- structure-moving task 208-9
- algorithms used 209-17
  - lookinto operator for 209, 212-13
  - pickup operator for 209, 211, 212
  - place operator for 209, 212
  - proximityscan operator for 209, 212
- structures, exploring of 205-23
- subcommittees model 195-6
- subjective information
- meaning of term 122
  - methods of providing 122, 124
- subsumption theorem 113
- Subtasks, dependent compared with independent 30
- suicide example 118
- superstable structure, meaning of term 215

## INDEX

- supervision, expert system performance
  - affected by 95
- surface models, compared with deep models 264-5
- symbol reduction, DUCE operators giving 94
  
- 'tantrum' (by learning system) 183
- term rewriting system 51
- theorem prover
  - PRIZ's program synthesizer used as 25-30
  - examples 27-30
- theory
  - learning systems,
    - correcting errors in 174-7
    - definition of 170
    - locating errors in 172-4
    - maintaining consistency in 170, 177-9
    - recognizing existence of errors 172
  - as network of concepts 172, 173
- theta-subsumption 110
- threshold logic, use in protein structure problem 305
- threshold test 298
- translation (of formulas and sequents) 31
- travelling expenses claims
  - certainty lattice used 72
  - home/abroad distinction 72, 73, 74
  - user interface strategy 74
- truth maintenance systems 14, 58, 63
- truth values, compatibility with belief states at run-time 195
- typing, attributes affected by 164
  
- uncertain inference, PROSPECTOR's support of 189
- unification 97
- unifying terms, construction of 49-53
- user interfaces
  - expert system 74
  - KAUS 326, 327
  - knowledge-base bootstrapping 126
- UTOPIST (Universal Translator Of Problems Including Specifying Texts)
  - input language 18, 19
  - example specifications in 19-21
  - semantics of 21-2
  
- validation, induced knowledge 132-3, 134
- VAL II robot programming language 206
- Variable Precision Logic 273
- Version Space algorithm 106
- voting patterns, C4 compared with Evidencer algorithms 197, 199
  
- Wald sequential cut-off method 187, 200
- Wang's algorithm 72
- WARPLAN 220
- weight of evidence
  - updating using 70
  - see also* plausibility gain
- WHILE-expressions, inductive synthesis 143-4
- window-oriented coordinate frame 232
  - decision tree for 232, 233
- world model
  - errors in,
    - correcting errors 174-7
    - locating errors 172-4
    - recognizing existence of errors 172
  - evolution over time 170
  - maintaining consistency in 170, 177-9
  
- XpertRule, induction of evidence trees implemented by 196-7
  
- YAPES expert system shell 71, 74, 75
  - user interface strategy 74
  
- Zermelo-Fraenkel set theory 319



