

# INDICES

## TECHNICAL TERMS

- actual parameters: 4.2
- alternative: 6.1
- applied: 4.2
- assignment: 5.5
- atom: 8.2
- body: 4.1
- character groups: 9.1
- character strips: 8.4
- characteristic functions:
  - 7.1
- characters: 8.6
- closed: 9.1
- component size: 7.3
- components: 7.1
- compounds: 2.1
- compound expression: 5.1
- concatenated: 4.2
- condition: 6.1
- conjunction: 6.2
- consequent: 6.1
- constant: 5.1
- constructor: 7.1
- copied at the top level: 7.1
- currently associated: 3.1,
  - 3.2
- data structure: 7.1
- declaration: 3.2
- destination list: 5.5
- destructor: 7.1
- device: 9.1
- dimensions: 8.5
- disjunction: 6.2
- doublet: 4.5
- entry: 4.2
- equivalent: 7.1
- exit: 4.2
- expression: 5.1
- extent: 3.2
- false: 2.4
- files: 9.1
- formal parameter list: 4
- formal: 3.2
- frozen formals: 4.4
- frozen value list: 4.4
- full item: 7.2
- full strips: 8.4
- function: 4.4
- garbage collection: 7.4
- general selector: 7.1
- general update routine: 7.1
- global declaration: 3.2
- global: 3.2
- goto statement: 5.4
- hole in the extent: 3.2
- identifier: 3.1
- imperative expression: 5.3
- imperative sequence: 5.3
- initialisation: 3.2
- items: 2.1
- label: 5.4
- lambda expression: 4.1
- link: 8.3
- list: 8.3
- local declaration: 3.2
- local: 3.2
- macro: 11.2
- meaning: 8.6
- n*-tuple: 4.2
- nonlocal: 4.3
- null list: 8.3
- number: 4.6
- opened: 9.1
- operands: 5.1
- operation: 3.2
- operator: 5.1
- output local list: 4.1
- output local variable: 4.2
- pairs: 8.2
- partial application: 4.4
- primitive data structure
  - class: 7.1
- program device: 9.1
- program file: 9.1
- protected: 3.2
- quasi compound expression: 5.5
- record class: 7.2
- record: 7.2
- references: 8.1
- results device: 9.2
- results file: 9.2
- results: 4.2
- routine: 4.1
- running: 4.2
- scope: 3.2
- selector: 7.1
- share: 7.1
- simple expression: 5.1
- simple: 2.1
- size: 7.2
- source items: 5.5
- source: 5.5
- specification of a record:
  - 7.2
- stack: 5.3
- standard function: 3.2
- standard variable: 3.2
- standard input device:
  - 9.1
- standard input file: 9.1
- standard output device:
  - 9.2
- standard output file: 9.2
- standardised: 8.6
- strip class: 7.3
- strip: 7.3
- structure constant: 5.1
- subscripts: 8.5
- text item: 9.1
- top of the stack: 5.3
- true: 2.4
- truthvalues: 2.4
- unique name: 3.2
- update routine: 7.1
- value: 3.1
- variable: 3.1
- variadic: 4.2
- varresult: 4.2
- words: 8.6

## SYNTAX DEFINITIONS

- alphanumeric*: 3.1
- assignment*: 5.5
- binary digit*: 2.2
- binary integer*: 2.2
- bracket decorator*: 1.4
- bracket*: 1.4
- cancellation*: 3.3
- closed expression*: 5.1
- code instruction*: 10.0
- compound expression*: 5.1
- condition*: 6.2
- conditional body*: 6.1
- conditional expression*: 6.1
- constant*: 5.1
- decimal integer*: 2.2
- declaration list element*: 3.2
- declaration*: 3.2
- decorated bracket*: 8.6
- destination*: 5.5
- digit*: 1.4
- dot operator*: 5.1

## INDICES

- else clause*: 6.1
- elseif clause*: 6.1
- exponent*: 1.4, 2.3
- expression list*: 5.1
- expression*: 5.1
- formal parameter list*
  - element*: 4.1
- formal parameter list*: 4.1
- function body*: 4.1
- function definition*: 4.1
- function*: 4.1
- goto statement*: 5.4
- identifier*: 3.1
- imperative sequence*: 5.3
- imperative*: 5.3
- integer*: 2.2
- label*: 5.4
- labelled statement*: 5.4
- lambda expression*: 4.1
- lambda*: 4.1
- letter*: 1.4
- list constant brackets*: 8.3
- list constant element*: 8.3
- list constant*: 8.3
- list expression brackets*: 8.3
- list expression*: 8.3
- macro definition*: 11.2
- non-operation identifier*: 5.1
- octal digit*: 2.2
- octal integer*: 2.2
- operation*: 5.1
- output local list*: 4.1
- output local list element*: 4.1
- parentheses*: 5.1
- partial application*: 4.4
- period*: 1.4
- program element*: 11.1
- program*: 11.1
- quasi compound expression*: 5.5
- quote*: 1.4
- quoted word*: 8.6
- real*: 2.3
- restriction*: 3.2
- restrictor*: 3.2
- separator*: 1.4
- sign*: 1.4
- simple expression*: 5.1
- statement*: 5.3
- string bracket*: 8.4
- string constant element*: 8.4
- string constant*: 8.4
- string quote*: 1.4
- structure constant*: 5.1
- structure expression*: 5.1
- sub ten*: 1.4
- unquoted word*: 8.6

## STANDARD FUNCTIONS AND VARIABLES

- <*: 4.6
- >*: 4.6
- =<*: 4.6
- >=*: 4.6
- +*: 4.6
- : 4.6
- \**: 4.6
- /*: 4.6
- ↑*: 4.6
- //2.2*
- =*: 2.1, 7.1
- =>*: 9.2
- ::*: 8.3
- <>*: 8.3
- array*: 8.5
- atom*: 8.2
- back*: 8.2
- booland*: 2.4
- boolor*: 2.4
- charin*: 9.1
- charout*: 9.2
- charword*: 8.6
- closefile*: 9.1
- cons*: 8.3
- conspair*: 8.2
- consref*: 8.1
- consword*: 8.6
- cont*: 8.1
- copy*: 7.2
- cucharout*: 9.2
- datalist*: 7.2
- dataword*: 7.2
- delitem*: 7.4
- dest*: 8.3
- destpair*: 8.2
- destref*: 8.1
- destword*: 8.6
- enddata*: 7.2
- fnpart*: 8.7
- fnprops*: 8.7
- fntolist*: 8.3
- front*: 8.2
- frozval*: 8.7
- hd*: 8.3
- incharitem*: 9.1
- init*: 8.4
- initc*: 8.4
- intadd*: 2.2
- intgr*: 2.2
- intgreg*: 2.2
- intle*: 2.2
- intleeq*: 2.2
- intminus*: 2.2
- intmult*: 2.2
- intof*: 2.3
- intplus*: 2.2
- intsign*: 2.2
- intsub*: 2.2
- iscompnd*: 2.1
- isfunc*: 8.7
- isinteger*: 2.1
- isreal*: 2.1
- itemread*: 9.1
- logand*: 2.2
- lognot*: 2.2
- logor*: 2.2
- logshift*: 2.2
- macresults*: 11.2
- meaning*: 8.6
- newanyarray*: 8.5
- newarray*: 8.5
- next*: 8.3
- nextchar*: 9.1
- nl*: 9.2
- not*: 2.4
- null*: 8.3
- outcharitem*: 9.2
- outitem*: 9.2
- partapply*: 4.4
- popmess*: 9.1
- popval*: 11.3
- print*: 9.2
- proglis*: 9.1
- realadd*: 2.3
- realdiv*: 2.3
- realgr*: 2.3
- realgreg*: 2.3
- realle*: 2.3
- realleq*: 2.3
- realmult*: 2.3
- realminus*: 2.3
- realof*: 2.3
- realplus*: 2.3
- realsign*: 2.3
- realsub*: 2.3
- recordfns*: 7.2
- setpop*: 11.3
- sp*: 9.2
- stripfns*: 7.3
- subscr*: 8.4
- subscrc*: 8.4
- tl*: 8.3
- updater*: 8.7

## INDICES

### SYNTAX WORDS

:: 5.4  
→: 5.5  
⇒: 4.1  
and: 6.2  
cancel: 3.3  
close: 6.1  
else: 6.1

elseif: 6.1  
end: 4.1  
function: 3.2  
goto: 5.4  
if: 6.4  
lambda: 4.1  
macro: 11.2

nonop: 5.1  
operation: 3.2  
or: 6.2  
return: 5.4  
routine: 4.1  
then: 6.1  
vars: 3.2



# INDEX

- Alexander 2 181  
Algol 1 4, 11, 13, 20, 38, 112; 2 3-12, 17, 33-5, 43, 102, 103, 119, 134, 185, 209, 212  
Ames 1 173  
Antony 1 207  
applicators 2 35  
arithmetic operations 2 224  
arrays 2 188, 239  
assignment 2 228  
Atlas autocode 1 238, 241  
Atlas computer 1 4, 130
- backtrack analysis 1 91, 94  
Backus 2 35, 212  
Backus-Naurform 1 20  
Backus notation 1 11  
Baldrige 1 163  
Balzer 2 21  
Barron 1 257; 2 210  
Bernstein 2 97  
Beth trees 1 33  
BESM 2 98  
Birkhoff 1 32  
black box problems 2 146  
block form 2 29  
BNF grammar 1 21  
Bobrow 1 116  
Böhm 2 30  
Boolean expression 1 185  
Boolean variables 1 21  
Borel 2 105  
Borel-von Neumann theory 2 93, 105 166  
Bousfield *et al.* 1 156  
boxes 2 137, 145, 150, 151  
Brackett 2 185  
Brooker 2 53, 212  
Burstall 2 34, 209  
buying chess 2 105
- Cannon 2 145  
Capablanca 2 94  
Carnegie system 1 20  
Carson 2 57  
Cartwright 1 4  
Cayley 1 4  
Chambers 2 140  
checkers 2 42  
chess 2 90, 91, 93  
Chomsky 1 21, 211  
Church 1 48; 2 4, 5, 34, 68  
closed-class items 2 176  
Collins 2 153, 159  
COMIT 2 57  
command sequence 1 6  
compiler language 1 236  
compiler mode 1 249  
complex games 2 91  
concatenation 2 212  
conceptualisation 2 33
- conditional expressions 2 229  
conditionals 2 229  
conjunctions and disjunctions 2 230  
connection matrix 1 6  
constructors 2 35  
control data 3600 2 57  
Cook 2 65  
Cooper 2 21, 27, 28, 93  
Coral 2 38  
Coxeter 2 110  
CPL 2 4, 210  
CPL reference manual 2 221  
critical path analysis 1 6  
Croes 2 125, 126  
Curry 2 4  
CYCLOPS 1 209
- Dallemand 2 154, 155  
data structures 2 12, 231  
Davis 1 49; 2 59  
DDPS 2 40  
decision rules 2 148  
declarations 1 230f  
defined functions 1 23  
definitions: iterative 1 24; list functions 1 23; multiplication functions 1 23; recursive 1 22  
de Groot, 2 91, 96, 99, 108  
Deese 1 157, 166  
Denes 1 200  
Dennis 2 38  
designators 2 35  
Donaldson 2 145  
Doog 2 100  
Doran 2 119, 120, 123, 131  
doublets 2 223  
DT 2 2 30  
dynamic stack system 1 258
- Earley 1 22  
eight-puzzle 1 114, 125; 2 131-3  
Elcock 1 75; 2 75  
electrical networks 1 6  
Elliott 4100 2 119, 194  
Elliott 4120 2 125  
English Electric Leo Marconi 2 38  
English language research unit 2 173  
Ernest 2 119  
Euclid 2 58  
Euwe 2 99  
Evans, A. 2 21  
Evans, E. F. 1 212  
Evans, L. 2 108  
experimental programming unit 2 75, 194  
expressions and statements 2 224
- Fant 1 207  
Feldman 1 20  
Ferranti mercury 2 159

INDEX

- Feys 2 4  
 FIDE 2 115  
 fifteen-puzzle / 114, 125; 2 131, 132  
 Fine 2 99  
 flow charts / 22, 27  
 formula Algol 2 210  
 Fortran / 229; 2 33, 34, 43, 154, 185  
 Fortran II 2 145  
 Foster 2 43, 195  
 Fréchet 2 105  
 Fromkin / 209  
 frozen formals 2 221  
 frozen value list 2 222  
 Fry / 200  
 FSL / 20  
 full strips and character strips 2 239  
 functions 2 241  
  
 Gaku / 106  
 galactic emperor 2 110, 112  
 game learning engine 2 140  
 game-playing / 27, 68; 2 89  
 garbage collection 2 235  
 Gelernter / 36  
 general regression program 2 155  
 geometry machine / 36  
 Gibson / 173  
 Gillis 2 96  
 Gilmore 2 61  
 Gilmore example 2 62, 63  
 GLEE 2 140, 142, 144, 152  
 GMF 2 59, 60  
 Go 2 91, 95, 100  
 Golomb / 66  
 Golombek 2 93  
 Go-moku / 87; 2 75, 95  
 Good 2 91, 93-7, 103, 105, 108, 110, 113-15  
 Goon 2 244  
 grammars, BNF: / 21; context free / 21;  
   linguistic / 182  
 graphs: similar / 4; linear / 3, 39; connected  
   / 3; flat or planar / 4  
 graph traverser / 41, 108; 2 119-22, 124-6,  
   128, 129, 131-4  
 group theory / 32, 48  
 Guard 2 59  
  
 Halle / 207  
 Hammond 2 95, 97  
 Hampstead chess club 2 99  
 Harary / 4  
 Hayes / 113  
 Hein / 174  
 Held, M. 2 125  
 Held, R. / 174  
 Hellman 2 107  
 Herbrand procedures / 49  
 Herbrand theorem 2 58  
 heuristic search principles / 48  
 Hillix / 222  
  
 Histmeyr 163  
 Hodgson 2 47  
 Holmes / 210  
 Holt / 13  
 Horowitz 2 99  
 Hubel / 195  
 Hultzen / 210  
 Hunt 2 33  
  
 Janov schemata 2 34  
 IBM 7090 2 107  
 IBM 7094 II 2 125  
 IBM Corp. 2 35  
 identifiers 2 216  
 immediate success / 70  
 imperative expression 2 227  
 imperative sequence 2 227  
 incidence matrix / 7  
 induction / 122  
 Ingemann / 207  
 Institut für instrumentelle mathematik 2 57  
 International Chess Federation 2 115  
 IPL5 2 38  
 ISWIM 2 5-11, 13-16, 17-18, 210  
  
 Jacobsen / 207  
 Jacopini 2 30  
 Jenkins / 156  
 Johnson / 126  
 Joss 2 185, 210  
  
 Kaplow 2 185  
 Karp 2 125  
 KDF 9 2 174  
 Kendall 2 153  
 Kersta / 210  
 Kidsgrove ALGOL 2 38  
 Kister 2 97  
 Knight / 76  
 Kramer 2 99  
 Kriegspiel 2 105  
 Kufteg 2 102  
 Kuno / 269  
 Kunz 2 181  
  
 labels and goto statements 2 227  
 lambda expression 2 219  
 Landau 2 105  
 Landin / 274; 2 4-6, 9, 12, 34  
 Laplace 2 141  
 Lasker 2 95, 99, 100  
 Lettvin / 172  
 level of aspiration 2 151  
 LISP 2 6, 12, 14, 34, 35, 38, 185, 189, 209,  
   210  
 Lin 2 123-5, 127-31  
 linear programming 2 123  
 List-Algol 2 12, 13, 15, 16  
 Lomnicki / 69  
 London / 21

INDEX

- Logemann / 49  
 loops 2 9  
 Los Alamos 2 97  
 Loveland / 49  
 Luce 2 92
- McCarthy / 22; 2 22, 34, 38  
 MacLane / 32  
 McCulloch / 172; 2 94  
 Macdonald 2 89  
 macros 2 191, 224  
 MAD 2 185  
 MAP 2 185  
 Marbe's law / 158  
 matchbox engine 2 137  
 mathematical programming / 6  
 matrix storage / 233  
 Matthews 2 93, 95  
 Maturana / 172  
 Maynard Smith 2 96  
 Meltzer 2 70  
 menace 2 139, 140  
 mercury autocode 2 159  
 Messich / 162  
 meta functions 2 35  
 Michie / 113; 2 96, 106, 119, 120, 123, 125,  
 131, 133, 137, 140, 145  
 Miller / 196, 199  
 MIT 2 93  
 modern chess openings 2 109, 115  
 monkey puzzle sort / 9  
 Monte Carlo estimation problems 2 108  
 Mooers 2 210  
 Moray / 209  
 Morgenstern 2 92, 105  
 Mosteller 2 98  
 Mott-Smith 2 99  
 multics 2 38  
 Murray 2 75
- Nealey 2 106, 107  
 network design / 70  
 Newcomb / 216  
 Newell 2 38, 98, 102, 103, 113, 119  
 Newell / 47, 106  
 Nim 2 142, 143  
 nodes / 3, 4  
 nonlocal variables 2 221  
 Norman / 4  
 notation for syntactic description 2 212  
*n*-tuple 2 220  
 noughts and crosses 2 140, 142, 144
- Oetiger / 269  
 O'Donovan 2 99  
 Oldbury 2 107  
 optimal flow / 6
- pandemonium 2 139  
 Panzerspiel 2 105
- parenthesis counting rules / 22  
 partial application 2 221  
 PAT / 207  
 PCF 2 27-9  
 permutations, storage / 130  
 PG1 2 57, 61-70  
 Philidor 2 91  
 picture processing / 184  
 Pitts / 172  
 Poggi 2 70  
 Pole / 113  
 Polya / 4  
 Pop-1 2 134, 185, 189, 191, 194  
 Pop-2 2 209, 210, 213, 216-19, 237, 242-5  
 Popplestone 2 43, 134, 185, 209  
 Prawitz / 50; 2 59  
 precedence 2 225  
 predicates 2 35  
 Pride 2 181  
 Prinz / 4  
 probabilistic decision boxes 2 139  
 procedures 2 10  
 production language / 20  
 program(s): equivalent / 24; illegal / 21;  
 legal / 21  
 program-user interaction / 127  
 proper cycle 2 26
- quasi compound expression 2 228  
 Quine 2 64
- Radoport / 162  
 Raiffa 2 92  
 randomized chess 2 115  
 Raphael / 107, 160  
 recognition processor 2 85  
 records 2 233  
 recursion: induction / 23; problems of / 263  
 Reed 2 23  
 ref-Algol 2 18  
 resolution principle / 49, 50  
 reverse polish / 6, 20, 185, 273  
 Riordan / 15  
 Roberts 2 38  
 Robinson, G. A. 2 57  
 Robinson, J. A. / 31, 48; 2 57, 60, 70  
 Roe 2 123, 126  
 Rosen 2 53  
 Rosenbloom 2 4  
 Rutledge 2 34
- SAINT / 106  
 Samuel / 39, 91; 2 90, 96, 104, 106, 107  
 Samuel's draughts program 2 106  
 Schaefer 2 145  
 Schofield / 113; 2 131  
 Scoins 2 34  
 second-order compiler / 245  
 selectors 2 35  
 Selfridge 2 139

INDEX

- semantics 2 3  
 Seshu 2 23  
 Shannon 2 96, 109, 113  
 Shaw 1 47, 106; 2 98 185  
 shotgun 2 105  
 Simon 1 47, 106; 2 98, 102, 103  
 Slater 2 97  
 Smith, D. L. 2 36  
 Smith, F. W. 2 145  
 source items 2 228  
 source mode 1 251  
 sparse matrix 2 38  
 SRP 2 67, 68  
 standard function 2 218  
 standard variable 2 218  
 state signals 2 147  
 Steinitz 2 95  
 STELLA 1 219  
 Story 1 126  
 Strachey 2 4, 19, 20, 35, 210, 221  
 strips 2 234  
 Strong 2 185  
 Stuart 2 153  
 subgoals 2 81  
 successor family 1 70  
 Suetin 2 99  
 Sworder 2 145  
 syntax 2 3  
  
 Taylor 2 110  
 Term 1 32  
 Thorne 2 173  
 tic-tac-toe 2 42  
 TRAC 2 210  
 transformation algorithms 2 198  
 transformations 2 23  
  
 transportation 1 6  
 travelling salesman 1 6; 2 123, 125, 126, 131, 133, 134  
 trees: co-tree 1 7; decision 1 66; derivative 1 13; multi-furcating 1 12; non-ordered 1 8; ordered rooted binary 1 12; ordered-rooted 1 9; ordered 1 5; planted 1 4; spanning 1 7; static 1 119; sub-1 10; rooted 1 4  
 Turing 1 48; 96 113  
  
 Vigor 2 33, 40, 134  
 von Neumann 2 92, 105  
 Vukovic 2 113  
  
 Wang 1 39, 49; 2 64, 68  
 Westervelt 2 154, 155  
 Whitfield 1 212  
 Widrow 2 145  
 Wiesel 1 195  
 Wirth-Hoare Algol 2 210  
 Wooldridge 2 145  
 word-endings 2 175  
 word-recognition 1 160  
 word-selection 1 160  
 words 2 240  
 WORSE 1 161  
 Wos 2 57, 61, 64  
 Wylie 2 96  
  
 XTRAN 2 3  
  
 Yngve 1 211  
  
 Zugzwang 2 115



